# Safety Data Sheet E606 Mold Release Agent



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

# 1. IDENTIFICATION

Stoner Incorporated		Product Name:	Mold Release Agent
1070 Robert Fulton Hwy.		Product Code:	E606
Quarryville, PA 17566		Product Use:	Mold Release
1-800-227-5538		24-hour emergency phone:	1-800-424-9300 [CHEMTREC]
2. HAZARD IDENTIFICA	ATION		
POTENTIAL HEALTH EFFECTS			
Classification of the chemical in ac	cordance with para	graph (d) of §1910.1200;	
GHS Hazard Symbols	·		
· · · · · · · · · · · · · · · · · · ·		•	
GHS Classification		ler pressure - Liquified Gas	
	Flammab	le Aerosol Category 2	
Signal Word	Warning		
Hazard Statements	Flammab	a agrosol	
Hazaru Statements		gas under pressure; may explode if heated.	
	Contains	gus under pressure, may exprede in neurou.	
<b>Precautionary Statements</b>			
Prevention	Keen awa	y from heat/sparks/open flames/hot surfaces	– No smoking
1 i c v chươn		ray on an open flame or other ignition source	
		ed container: Do not pierce or burn, even afte	
Storage	Protect fr	om sunlight. Store in a well-ventilated place.	
Storage		om sunlight. Do no expose to temperatures e	
	110,000 11		

3. COMPOS	CAS	<u>#</u>		Percent		
Halogenated hydr	ocarbon/ether blend Mixtu	ire		80-100		
HMIS® III* HAZ	ARDOUS WARNINGS:					
Health: 1	Flammability: 2	2	Physical:	2	Personal Protective Equipment:	See Section
See www.paint.o	rg/hmis or call the ACA at 1 (202) 462-6272	for more information	on this current rating syste	em.		
•	rg/hmis or call the ACA at 1 (202) 462-6272	for more information	on this current rating syste	em.		
•	rg/hmis or call the ACA at 1 (202) 462-6272 D MEASURES	for more information	on this current rating syste	em.		
4. FIRST AII		of water for at least			mptoms persist or there	;
•	D MEASURES Immediately flush eyes gently with plenty	y of water for at least	15 minutes while holding oblenty of water for at least 1	eyelids apart. If sy 15 minutes. For liqu	1 1	
4. FIRST AII	D MEASURES Immediately flush eyes gently with plenty is visual difficulty, seek medical attention In case of contact, immediately wash com	y of water for at least taminated area with p ion if symptoms pers . Contact a physician	15 minutes while holding o plenty of water for at least 1 ist. Wash clothing before ro , medical facility, or poisor	eyelids apart. If sy 15 minutes. For liqu euse. 1 control center for	advice on whether to	

#### NOTES TO PHYSICIAN:

Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, should be used only in situations of emergency life support.

**Stoner Incorporated** 

E606

## 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards:	This product contains a component(s) that is considered an extremely flammable gas(es), which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point. Containers may rupture
Fire Fighting Instructions:	or explode under fire conditions. Use CO2, foam or dry chemical. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area.

### 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Ventilate contaminated area. Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Avoid run-off into storm sewers and ditches which may lead to natural waterways. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

### 7. HANDLING AND STORAGE

Handling: Use with adequate ventilation. Do not use near ignition sources. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. May cause frostbite.

Storage: Store in a cool, dry, well ventilated area away from all sources of ignition. Do not store at temperatures above 122 degrees F. Empty container may contain residues which are hazardous. Store away from incompatible materials such as materials that support combustion (oxidizing materials) and corrosive materials (strong acids or bases). Store away from oxygen cylinders or other oxidizing materials and possible ignition sources. Ground all equipment and cylinders before use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from				
Eye Protection:	known, suspected or apparent adverse effects). Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.				
Skin Protection:	The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.				
Respiratory Protection:	A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.				
COMPONENT		CAS #	ACGIH TLV	OSHA PEL	OTHER
Halogenated hydrocarbon/ether	blend	Mixture	Not established	Not established	1000ppm TWA (Mfr.)

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Appearance: Odor: Odor Threshold: pH:	Aerosol cylinder Clear Colorless Slight ethereal. Mild Not applicable	Lower Flammability Limit (%): Upper Flammability Limit (%): Vapor Pressure (PSIG @ 70°F): Vapor Density [air = 1]: Relative Density (H2O=1):	Not applicable Not applicable No data available >1 0.8
Melting/Freezing Point (°F):	No data available	Solubility in Water:	Insoluble
Boiling Point (°F):	No data available	Partial Coefficient: n- octanol/water:	No data available
Flash Point (°F PMCC):	Not applicable	Autoignition Temperature (°F):	Not applicable
Evaporation Rate:	Not determined	Decomposition Temperature (°F):	No data available
Flammability (solid, gas): Percent VOCs (%):	No data available 40 - 60	Viscosity, dynamic (cSt):	No data available

# **10. STABILITY AND REACTION**

Chemical Stability:	Stable.
Conditions to Avoid:	Avoid contact with: Alkali. Alkaline earth metals. Powdered metals. Ignition sources such as open flames, sparks, static
	discharges or glowing metal surfaces. Oxidizers. Acetic acids Organic acid anhydrides.
Decomposition Products:	This material can be decomposed by extremely high temperatures (open flames, glowing metal surfaces, etc.) forming
	hydrofluoric acid and carbonyl fluoride. If heated with peroxides present, violent decomposition can occur. When

hydrofluoric acid and carbonyl fluoride. If heated with peroxides present, violent decomposition can occur. When heated to temperatures above 150°C in the presence of air, one of the ingredients in this product can form formaldehyde vapors. Formaldehyde vapor is harmful by inhalation; irritating to eyes; sensitizer to the respiratory system; an acute toxicant and a potential cancer hazard at concentrations greater than 0.75 ppm.

### 11. TOXICOLOGICAL INFORMATION

Reproductive &
Developmental Toxicity:
IARC Carcinogen Designation

esignation: No data available

CAS #

No data available.

**Toxicological Data** 

Ingredient

No data available

# 12. ECOLOGICAL INFORMATION

Ecological Toxicity:	
Mobility:	
Ingredient	

Ether propellant

No data available No data available

CAS #

Toxicological Data 48HR NOEC GUPPIES > 4000 mg/L 48HR NOEC Daphnia > 4000 mg/L No data available

# **13. DISPOSAL CONSIDERATIONS**

Disposal : Dispose according to Federal, State and local regulations.

### 14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1033	Dimethyl Ether	2.1	Not applicable
IATA	UN1033	Dimethyl Ether	2.1	Not applicable
IMDG	UN1033	Dimethyl Ether	2.1	Not applicable

### **15. REGULATORY INFORMATION**

 Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:
 COMPONENT
 CAS #
 % BY WEIGHT
 Regulatory Body

 No components listed in this section.
 SARA Section 313

#### **Toxic Substances Control Act**

All components of this product are listed on the TSCA inventory.

#### **California Prop 65**

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

## 16. OTHER INFORMATION

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 09/03/19

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.