Safety Data Sheet M302 Rocket Release®



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566	Product Name: Product Code: Product Use:	Rocket Release® M302 Mold Release	
1-800-227-5538	24-hour emergency phone:	1-800-424-9300 [CHEMTREC]	
2. HAZARD IDENTIFICATI	ON		
POTENTIAL HEALTH EFFECTS	lance with paragraph (d) of §1910.1200;		
GHS Classification	Aspiration Hazard Category 1 Flammable Liquid Category 2 Skin Corrosion/Irritation Category 2 Specific Target Organ Systemic Toxicity (STOT) - S	ingle Exposure Category 3	
Signal Word	Danger		
Hazard Statements	Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness.		
Precautionary Statements			
Prevention	Keep away from heat/sparks/open flames/hot surface Keep container tightly closed. Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical, ventilating and Use only non-sparking tools. Take precautionary measures against static discharge Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protect	d lighting equipment.	
Response	IF INHALED: Remove victim to fresh air and keep a P312 - Call a poison center, doctor or medical center P321 - Specific treatment (see on this SDS). Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention	nd water. y all contaminated clothing. Rinse skin with water/shower. at rest in a position comfortable for breathing. r if you feel unwell.	
Storage	P370+P378 - In case of fire: Use proper media to ext Keep container tightly closed. Store in a well-ventilated place. Keep container tight Store in a well-ventilated place. Keep cool. Store locked up.		
Disposal	Dispose of contents/container in accordance with loc wastes.	cal/regional/national/international regulation for hazardous	

3. COMPOSITION/INFORMATION ON INGREDIENTS					
COMPONENT Aliphatic hydrocarbons	<u>CAS #</u> 142-82-5		Percent 80 - 100		
HMIS® III* HAZARDOUS WARNIN Health: 1	GS: Flammability: 3	Physical:	0	Personal Protective Equipment:	See Section 8

* See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention. Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse. Wash the contaminated skin with soap and water. Ingestion: Do not induce vomiting. Aspiration into the lungs can cause serious damage. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs. Contact a physician, medical facility, or poison control center immediately. Inhalation: No specific treatment is necessary since this material is not likely to be hazardous by inhalation. NOTES TO PHYSICIAN:

This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity when deciding whether to induce vomiting. Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, should be used only in situations of emergency life support. This material is an aspiration hazard. Aspiration during swallowing or vomiting may severely damage the lungs. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); kidney; central nervous system; auditory system; arrhythmias (irregular heartbeats);

5. FIRE FIGHTING MEASURES				
Fire and/or Explosion Hazards:	This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other			
	flames and ignition sources at locations distant from the material's handling point."Empty" containers retain product residue and can be dangerous.			
Fire Fighting Instructions:	Use CO2, foam or dry chemical. Fire fighters should wear normal protective equipment and positive-pressure self- contained breathing apparatus.			

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Ventilate contaminated area. Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

7. HANDLING AND STORAGE

Handling: All 5 gallon and larger containers should be grounded and/or bonded when material is transferred. Do not use near ignition sources. Normal precautions common to safe manufacturing practice should be followed in handling and storage. This material can be harmful or irritating. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Use with adequate ventilation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition; they may explode and cause injury or death.

Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Empty container Storage: may contain residues which are hazardous. Normal precautions common to safe manufacturing practice should be followed in handling and storage.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or apparent adverse effects).			
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.			
Skin Protection:	The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.			
Respiratory Protection:	A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.			
<u>COMPONENT</u>	<u>CAS #</u>	ACGIH TLV	OSHA PEL	OTHER
Aliphatic hydrocarbons	142-82-5	400 ppm TWA	Not established	Not established

9. PHYSICAL AND CHEMICAL PROPERTIES

Bulk liquid

Mild

21.2

80 - 100

Clear Yellow

Not applicable

No data available

No data available

Not determined

No data available

Light Hydrocarbon

Physical State: Appearance: Odor: Odor Threshold: pH: Melting/Freezing Point (°F): Boiling Point (°F):

Flash Point (°F PMCC): Evaporation Rate: Flammability (solid, gas): Percent VOCs (%):

10. STABILITY AND REACTION

Chemical Stability: Conditions to Avoid:

Decomposition Products:

Stable. Avoid contact with: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Strong oxidizing agents. Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Various hydrocarbons.

Lower Flammability Limit (%):

Upper Flammability Limit (%):

Vapor Pressure (PSIG @ 70°F):

Autoignition Temperature (°F):

Decomposition Temperature (°F):

Vapor Density [air = 1]:

Solubility in Water:

octanol/water

Partial Coefficient: n-

Viscosity, dynamic (cSt):

Relative Density (H2O=1):

11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental Toxicity:	No data available.		
IARC Carcinogen Designation:	No data available		
Ingredient	CAS#	Toxicological Data	
		0	
Aliphatic hydrocarbons	142-82-5	INHALATION LC50 Rat 103 GM/M3	
1A ECOLOCICAL DIE	ODMATION		

12. ECOLOGICAL INFORMATION

Ecological Toxicity:	No data available
Mobility:	No data available
Ingredient Aliphatic hydrocarbons	CAS # 142-82-5

Toxicological Data Aquatic LC50 (24h) Fish = 4 mg/L 48HR EC50 Daphnia = 1.5 mg/L 96HR EC50 Algae = 3.7 mg/L No data available

1.1

6.7

>1

0.7

399

No data available

Not determined

No data available

No data available

No data available

13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1206	Heptanes	3	II
IATA	UN1206	Heptanes	3	II
IMDG	UN1206	Heptanes	3	II

15. REGULATORY INFORMATION

 Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

 COMPONENT
 CAS #
 % BY WEIGHT
 Regulatory Body

 No components listed in this section.
 SARA Section 313

Toxic Substances Control Act

All components of this product are listed on the TSCA inventory.

California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

16. OTHER INFORMATION

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 01/18/2023

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.