Safety Data Sheet M704 Thermoset Mold Release



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated	Product Name:	Thermoset Mold Release		
1070 Robert Fulton Hwy		M704		
Quarryville, PA 17566	Product Use:	Mold Release		
1-800-227-5538	24-hour emergency phone:	1-800-424-9300 [CHEMTREC]		
. HAZARD IDENTIFIC				
OTENTIAL HEALTH EFFECT				
assification of the chemical in a	ccordance with paragraph (d) of §1910.1200;			
GHS Hazard Symbols		\wedge		
	<u> - / / / / / / / / / / / / / / / / / / </u>	•		
	•	•		
HS Classification	Flammable Liquid Category 1			
	Germ Cell Mutagenicity Category 1B Carcinogenicity Category 1A			
	Skin Corrosion/Irritation Category 2			
	Reproductive Toxicity Category 2			
	Specific Target Organ Systemic Toxicity (STOT) - Si	ingle Exposure Category 3		
ignal Word	Danger			
lazard Statements	Extremely flammable liquid and vapour.			
	Causes skin irritation. May cause drowsiness or dizziness.			
	May cause drowshess of dizziness. May cause genetic defects			
	May cause cancer.			
	Suspected of damaging fertility or the unborn child.			
recautionary Statements				
Prevention	Obtain special instructions before use.			
	Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. – No smoking.			
	Keep container tightly closed.	s. – No shloking.		
	Ground/bond container and receiving equipment.			
	P241 - Use explosion-proof electrical, ventilating and Use only non-sparking tools.	l lighting equipment.		
	Take precautionary measures against static discharge.			
	Avoid breathing dust/fume/gas/mist/vapours/spray.			
	P264 - Wash thoroughly after handling.			
	Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protec	tion/face protection.		
_		-		
Response	P302+P352 - If on skin: Wash with plenty of soap an IF ON SKIN (or bair): Pemoye/Take off immediately	nd water. all contaminated clothing. Rinse skin with water/shower		
	IF INHALED: Remove victim to fresh air and keep a			
	IF exposed or concerned: Get medical advice/attentio	n.		
	P312 - Call a poison center, doctor or medical center	if you feel unwell.		
	P321 - Specific treatment (see on this SDS). If skin irritation occurs: Get medical advice/attention.			
	P370+P378 - In case of fire: Use proper media to exti			
Starage		-		
Storage	Keep container tightly closed. Store in a well-ventilated place. Keep container tightl	v closed.		
	Store in a well-ventilated place. Keep cool.			
	Store locked up.			
Disposal	Dispose of contents/container in accordance with loc	al/regional/national/international regulation for hazardous		

PAGE 1

Stoner Incorporated

M704

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>COMPONENT</u> Petroleum distillates	<u>CAS #</u> 64742-89-8		<u>Percent</u> 90 - 99		
HMIS® III* HAZARDOUS WARNINGS Health: 2*	S: Flammability: 3	Physical:	0	Personal Protective Equipment:	See Section 8

* See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES				
Eyes:	Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.			
Skin Contact:	In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.			
Ingestion:	Contact a physician, medical facility, or poison control center for advice on whether to induce vomiting.			
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep the victim warm and quiet. Seek immediate medical attention.			

NOTES TO PHYSICIAN:

No additional first aid information available. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); kidney; auditory system; arrhythmias (irregular heartbeats);

5. FIRE FIGHTING MEASURES				
Fire and/or Explosion Hazards:	This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier			
	than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other			
	flames and ignition sources at locations distant from the material's handling point.			
Fire Fighting Instructions:	Use CO2, foam or dry chemical. Fire fighters should wear normal protective equipment and positive-pressure self- contained breathing apparatus.			

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly. Place waste material into container and close it tightly. Dispose of container properly.

7. HANDLING AND STORAGE

Handling: All 5 gallon and larger containers should be grounded and/or bonded when material is transferred.Do not use near ignition sources. Use with adequate ventilation. Avoid prolonged or repeated contact with skin.
 Storage: Keep container tightly closed when not in use. Keep away from heat, sparks and flame. Store in a cool, dry, well ventilated area away from all sources of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from			
	known, suspected or apparent adver			
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as			
	chemical splash goggles and/or face	shield when the possibility	exists for eye contact with	h splashing or spraying liquid or
	airborne material. Have an eye wash station available.			
Skin Protection:	The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with			
	skin.			
Respiratory Protection:	A supplied air respirator should be	used if ventilation is not suf	ficient to maintain exposu	re limits. Use NIOSH approved
	respirator where there is likelihood of inhalation of the product mist, spray or aerosol.			
COMPONENT	CAS #	ACGIH TLV	OSHA PEL	OTHER
Petroleum distillates	64742-89-8	300 ppm	300 ppm	Not established
i ettoreum distinutes	04/42 07 0	500 ppm	500 ppm	1 tot estublished

9. PHYSICAL AND CHEMICAL PROPERTIES

Bulk liquid

Moderate

50.0

90 - 99

Cloudy white

Not applicable

No data available

No data available

Not determined

No data available

Light Hydrocarbon

Physical State: Appearance: Odor: Odor Threshold: pH: Melting/Freezing Point (°F): Boiling Point (°F):

Flash Point (°F PMCC): Evaporation Rate: Flammability (solid, gas): Percent VOCs (%):

10. STABILITY AND REACTION

Chemical Stability: Conditions to Avoid:

Decomposition Products:

Stable. Strong oxidizing agents. Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Avoid contact with: Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Various hydrocarbons.

Lower Flammability Limit (%):

Upper Flammability Limit (%):

Vapor Pressure (PSIG @ 70°F):

Autoignition Temperature (°F):

Decomposition Temperature (°F):

Vapor Density [air = 1]:

Solubility in Water:

octanol/water

Partial Coefficient: n-

Viscosity, dynamic (cSt):

Relative Density (H2O=1):

1.3

No data available

Negligible; 0-1%

No data available

No data available

No data available

8

>1

0.75

474

96HR EC50 Algae 3.7 MG/L

11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental Toxicity:	No data available.		
IARC Carcinogen Designation:	No data available		
Ingredient	CAS #	Toxicological Data	
Petroleum distillates	64742-89-8	Dermal LD50 Rabbit > 2000 mg/kg	
		Oral LD50 Rat > 5000 mg/kg	
		Inhalation LC50 (4h) Rat > 5610 MG/CU M	

12. ECOLOGICAL INFORMATION

Ecological Toxicity: Mobility: Degradability:	No data available No data available Biodegradable.		
Ingredient Petroleum distillates		CAS # 64742-89-8	Toxicological Data Aquatic LC50 (96h) Rainbow Trout 8.2 MG/L 48HR EC50 Daphnia 4.5 MG/L

13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1268	Petroleum distillates, n.o.s. (contains Naphtha)	3	II
IATA	UN1268	Petroleum distillates, n.o.s. (contains Naphtha)	3	II
IMDG	UN1268	Petroleum distillates, n.o.s. (contains Naphtha)	3	II

15. REGULATORY INFORMATION

 Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

 COMPONENT
 CAS # % BY WEIGHT

 No components listed in this section.
 SARA Section 313

Toxic Substances Control Act

All components of this product are listed on the TSCA inventory.

California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

16. OTHER INFORMATION

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 07/12/22

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.

Stoner Incorporated

M704

PAGE 3